

Author – A.Kishore
<http://appsdba.info>

Install DAC on Windows XP

Download the DAC software from the below link

<http://edelivery.oracle.com>

Select a Product Pack ⓘ

Platform

<input type="radio"/>	Oracle Business Intelligence (10.1.3) Media Pack for Linux x86	10.1.3.0.0	B36247-33	DEC-17-2010	57 / 35G
<input type="button" value="Download"/>	Oracle Business Intelligence Data Warehouse Administration Console 10.1.3.4.1 for Microsoft Windows		V16377-01		181M

Prerequisites for installing the DAC Client and Server on Windows are the following:


- Installation of [Informatica 7.1.4 or 8.1.1 or 8.6.1](#).
- Download the file Oracle Business Intelligence Data Warehouse Administration Console v10.1.3.4.1 on [OTN](#)
- Create a repository user which will store the dac object

For instance, for Oracle :

```
CREATE USER DAC_REP IDENTIFIED BY DAC_REP
DEFAULT tablespace users
TEMPORARY tablespace temp
quota unlimited ON users;
```

```
GRANT CONNECT, resource, CREATE VIEW TO DAC_REP;
```

Author – A.Kishore
<http://appsdba.info>



Author – A.Kishore
<http://appsdba.info>

The screenshot shows a web-based installation console window titled "Oracle Business Intelligence Data Warehouse Administration Console - Step 2 of 9". The main heading is "Specify Installation Location". On the left, a navigation pane lists steps: Welcome, **Install Location**, Component Installation, Select Informatica Version, Informatica 8.x Locations, Prerequisite Checks, Installation Summary, Installation Progress, and Install Completed. The main area contains a text input field for "Oracle Home Location" with the value "C:\orahome\10gR3_1" and a "Browse" button. Below this is a scrollable text box with instructions: "Enter the absolute path for the new ORACLE_HOME location. Alternatively you can select any existing location using the browse button." and "Oracle Business Intelligence Data Warehouse Administration Console will be installed in the bifoundation/dac subdirectory of the ORACLE_HOME location." At the bottom, there are buttons for "Help", "< Back", "Next >", "Finish", and "Cancel". An "Elapsed Time: 2m 16s" indicator is visible in the bottom right corner.

Author – A.Kishore
<http://appsdba.info>

Oracle Business Intelligence Data Warehouse Administration Console - Step 3

Install Components

ORACLE FUSION BI

- Welcome
- Install Location
- Component Installation**
- Select Informatica Version
- Informatica 8.x Locations
- Prerequisite Checks
- Installation Summary
- Installation Progress
- Install Completed

Oracle BI


- DAC
 - DAC Server

On unix systems, the Oracle Business Intelligence Data Warehouse Administration Console Server component will be installed.

Help < Back **Next >** Finish Cancel

Elapsed Time: 1m 20s

Author – A.Kishore
<http://appsdba.info>



Copy domains.infra from linux to windows


Author – A.Kishore
<http://appsdba.info>

The screenshot shows a web-based administration console window titled "Oracle Business Intelligence Data Warehouse Administration Console - Step 5 of 9". The main heading is "Specify Informatica 8.x Locations". On the left is a navigation pane with a vertical list of steps: Welcome, Install Location, Component Installation, Informatica 8.x, Informatica 8.x Locations (highlighted), Prerequisite Checks, Installation Summary, Installation Progress, and Install Completed. The main content area contains two input fields: "Informatica PowerCenter:" with the value "C:\Informatica\PowerCenter8.6.1" and a "Browse" button; and "Informatica Domain File:" with the value "rmatoca\PowerCenter8.6.1\domains.infa" and a "Browse" button. Below these fields is a text box with instructions: "Enter the absolute path for the Informatica 8.x domain file location, including the domain file name. Alternatively, you can select the file using the Browse button." At the bottom of the window are buttons for "Help", "< Back", "Next >", "Finish", and "Cancel". A status bar at the bottom right shows "Elapsed Time: 1m 19s".

Author – A.Kishore
<http://appsdba.info>

Oracle Business Intelligence Data Warehouse Administration Console - Step 6 of 9

Prerequisite Checks



- Welcome
- Install Location
- Component Installation
- Informatica 8.x
- Informatica 8.x Locations
- Prerequisite Checks**
- Installation Summary
- Installation Progress
- Install Completed

A	B	C	D
<input checked="" type="checkbox"/>	Checking operating system certification	100%	✓
<input checked="" type="checkbox"/>	Checking service pack	100%	✓
<input checked="" type="checkbox"/>	Checking physical memory	100%	✓
<input checked="" type="checkbox"/>	Checking operating system certification	100%	✓

Abort Retry Continue

- ✓ Checking operating system certification
- ✓ Checking service pack
- ✓ Checking physical memory
- ✓ Checking operating system certification

Help < Back Next > Finish Cancel

Elapsed Time: 1m 34s

Author – A.Kishore
<http://appsdba.info>

Oracle Business Intelligence Data Warehouse Administration Console - Step 7 of 9

Installation Summary

ORACLE FUSION BI

- Welcome
- Install Location
- Component Installation
- Informatica 8.x
- Informatica 8.x Locations
- Prerequisite Checks
- Installation Summary**
- Installation Progress
- Install Completed

Type: Oracle BI DAC

- Location: C:\orahome\10gR3_1
- Disk Space**
 - Required: 200 MB
 - Available: 59422 MB
 - Free After Install: 59422 MB
- BI Components**
 - DAC
 - DAC Client
 - DAC Server

Save Installation Configuration:

Click **I**nstall to accept this configuration and start the installation.

Click **B**ack to change this configuration before installation.

Elapsed Time: 1m 49s

Author – A.Kishore
<http://appsdba.info>

Patch

Installation of the last patch 10052370.

- extract the content of the file p10052370_101341_Generic.zip
- Terminate all DAC clients and server(s).
- Rename the jar file DAC_BASE\bifoundation\dac\DAWSsystem.jar as DWASystem.jar.old
- Rename the xml file DAC_BASE\bifoundation\dac\conf\infa_command.xml as infa_command.xml.old
- Copy the patched up DAWSsystem.jar file into DAC home directory (DAC_BASE\bifoundation\dac\)
- Copy the patched up infa_command.xml file into DAC_BASE\bifoundation\dac\conf\

JDBC Driver

DAC requires JDBC drivers for database connectivity. To enable DAC database connectivity, you must install the appropriate JDBC driver in the dac\lib directory on the machines where **the DAC Client and Server** are installed.

To install JDBC drivers in the \dac\lib directory, copy the file corresponding to your database version from the directory oracle_database_home\jdbc\lib directory and paste it in the \$ORACLE_DAC_HOME\bifoundation\dac\lib directory.

- For Oracle database 11g, ojdbc6.jar
- For Oracle database 9.x or 10.x, ojdbc14.jar

search for ojdbc14.jar file in oracle installation and copy the file to \$ORACLE_DAC_HOME\bifoundation\dac\lib directory

```
pwd
```

```
/d04/oracle/obiee/10.1.3.1/OracleAS_1/jdbc/lib
```


```
cp ojdbc14.jar /d04/oracle/obiee/10gR3_1/bifoundation/dac/lib/
```

Author – A.Kishore
<http://appsdba.info>


Creation of the Repository

A summary picture show you an the end of this section all the task that you must perform for a new installation.

- Start the DAC Client by navigating to the \$ORACLE_DAC_HOME\bifoundation\dac directory and double-clicking the startclient.bat file (of in the start menu)




- The Login ... dialog box appears.
- Click Configure.
- In the Configuring ... dialog box, select Create Connection, and then click Next.
- Enter the appropriate connection information:




Click Configure




Author – A.Kishore
<http://appsdba.info>




Author – A.Kishore
<http://appsdba.info>



Author – A.Kishore
<http://appsdba.info>



Author – A.Kishore
<http://appsdba.info>




Click Finish

Author – A.Kishore
<http://appsdba.info>

The image shows a screenshot of a web browser window titled "Login ...". The page has a light blue background. On the left side, there is a vertical banner with the Oracle Business Intelligence logo and a globe graphic. The main content area features the "Data Warehouse Administration Console" logo, which consists of a 3D grid of blue and green cubes. Below the logo, the text "Provide the login information:" is displayed. There are three input fields: "Connection" with a dropdown menu showing "Oracle", "User name" with the text "Administrator", and "Password" with a masked field of ten dots. Below the password field is a checkbox labeled "Remember password" which is currently unchecked. At the bottom of the form, there are five buttons: "Login", "Configure", "Options", "Cancel", and a help button with a question mark icon.

Author – A.Kishore
<http://appsdba.info>



<http://www.oracle.com/technetwork/middleware/bi-enterprise-edition/downloads/business-intelligence-10g-165415.html>

http://gerardnico.com/wiki/obia/dac_installation